



**KOLKATA
INTERIORS
PORT**

COMPANY CATALOGUE

COMMITMENT TOWARDS
QUALITY & SERVICES



Introduction:

Kolkata Interior Port is a leading name in aluminium solutions with over a decade of proven expertise. For the past 10 years, the company has built a strong reputation in aluminium scrap import and recycling, anodizing, and powder coating, delivering reliable and sustainable services across industries.

With a deep commitment to quality, durability, and eco-friendly practices, Kolkata Interior Port transforms aluminium into high-performance solutions tailored for modern applications. The company caters to diverse requirements, from architectural profiles such as windows, doors, curtain walls, partitions, and railings to structural and industrial profiles including channels, beams, trims, roofing systems, and more. Every process is carried out with precision to ensure products that combine strength, style, and sustainability.

A major strength of Kolkata Interior Port lies in its customizable finishing options, offering anodized and powder-coated surfaces designed to meet client-specific needs in both functionality and aesthetics.

Driven by innovation, sustainability, and client satisfaction, Kolkata Interior Port continues to shape the aluminium industry with reliable solutions that stand the test of time.



Core Values:

- 1. Sustainability First** – Driving eco-friendly aluminium recycling and responsible processing for a greener tomorrow.
- 2. Excellence in Every Finish** – Delivering premium anodizing and powder coating with unmatched durability and style.
- 3. Client-Centric Approach** – Customizing solutions to match every project's unique needs and vision.
- 4. Innovation & Precision** – Adopting advanced processes to ensure strength, quality, and long-lasting performance.
- 5. Reliability & Reach** – Strong logistics network ensuring timely delivery across Pan-India.
- 6. Experience that Inspires** – Over 10 years of industry expertise building trust and long-term partnerships.



Key Offerings:

1. Aluminum Scrap – Turning waste into value with sustainable aluminium recovery for industries & construction.

2. Advanced Anodizing – Delivering corrosion-resistant, durable, and sleek finishes that enhance strength and aesthetics.

3. Premium Powder Coating – Providing vibrant, uniform, and long-lasting protective coatings for interiors & exteriors.

4. Strong Logistics – Timely delivery across Pan India with reliable supply chain support.

KIP Advantages:

1. Complete Aluminium Solutions – One-stop partner for scrap, anodizing, powder coating.


2. Premium Quality Finishing - Superior surface treatments for durability, corrosion resistance & style.

3. Sustainable Operations – Eco-friendly recycling & responsible aluminium processing.

4. Customizable Finishing – Tailored anodizing & powder coating options to match client requirements.

5. Trusted Expertise – Reliable processes backed by technical know-how & client satisfaction.

Scaling With Purpose



50,000+
Orders Fulfilled



5,000+
Happy Customers



01 CR +
M.T. Delivered Till Date



Index

Industrial Profile

Flat Bar :	7
Hex Bar :	8
Square Bar :	9
Round Tube:	9
Round Bar :	10
C Section	12
Stapazing	12
Hinge	12
Water Channel:	13
Water Channel:	13
L Section:	13
Double Roller Channel :	13
Door Top:	16
Door Middle Single:	16
Door Middle Double:	16
Door Bottom:	17
Door Vertical:	17
Glazing Clip:	17
Twinstyle Door Series (Hollow Glass Section)	18

Casement Window Series 34 Series

Outer Frame:	18
Shutter Frame:	18
Mullion:	19
Clip:	19
Outer Frame:	19
Shutter Frame:	20
Mullion:	20
Clip:	20
Cleat Angle:	20

Sliding Window Series: (18MM)

Two Track Top:	21
Two Track Bottom:	21
Three Track Top:	21
Three Track Bottom:	21
A Section:	22
H Section:	22
Interlock:	22
Sliding Window Sections (18MM)	23



Sliding Window Series: (20MM)

Two Track Top:	25
Two Track Bottom:	25
Three Track Top:	26
Three Track Bottom:	26
Four Track Top:	26
Four Track Bottom:	27
A Section:	27
H Section:	27
Interlock:	28
Sliding Window Sections (20MM)	29
Sliding Window Sections (25MM)	31
Sliding Window Sections (30MM)	35
Sliding Window Sections (30MM)	36
Mullion:	37
Shutter Frame:	37
Outer Frame:	37

40 MM Series

40 MM Series	38
40 MM Series	38

Sliding Door Series

Two Track Top:	39
Two Track Bottom:	39
Three Track Top:	40
Three Track Bottom:	40
A Section:	40
H Section:	40
Interlock:	41
Curtain Wall:	41
Curtain Wall:	41
Curtain Wall:	41
Rectangular Tube:	42
Square Tube:	43
Bulb Tee:	43
G Section:	43
Bus Body : H	44
Bus Body : F	44



Domal Series

3/4" - Domal Series	45
1" Domal Series	47
Domal Series	48

Louver-Sections

Louver Sections	76
Louver Sections	76

Window-Sections

Window-Sections	77
-----------------------	----

Mosquito-Sections

Mosquito-Sections	83
Mosquito-Sections	84

Tower Bolts

Tower Bolts	85
Fluted Tubes Sections	86

Handle Hinge Sections

Handle Hinge Sections	80
-----------------------------	----

Kitchen Profile

Kitchen Profile	91
-----------------------	----

P-Pipe


P-Pipe	93
--------------	----

Solar Profile

Solar Profile	95
---------------------	----


Railing Profile

Railing	98
---------------	----



Industrial Profile:-


Flat Bar :



SL. No.	Section No.	A	T	Weigh t Range 12'		
1	7400	7.0 0	4.00	0.680	-	0.780
2	7401	19.00	1.00	0.190	-	0.290
3	7401A	19.00	1.50	0.280	-	0.300
4	7401B	19.00	2.D0	0.370	-	0.400
5	7402	19.00	3.00	0.570	-	0.670
6	7403	19.00	G.00	1.140	-	1.240
7	7404	25.00	1.00	0.250	-	0.350
8	7404A	25.00	1.50	0.370	-	0.400
9	7404B	Z5.00	100	0.490	-	0.520
10	7404C	Z5.00	2.50	0.600	-	0.700
11	7405	2S.00	3, 00	0.750	-	0.850
12	7406	25.00	S, 00	1.250	-	1.350
13	7407	25.00	6.00	1.500	-	1.700
14	7408	25.00	9.50	2.375	-	2.575
15	7409	25.00	12.00	3.000	-	3.200
16	7411	38.00	3.00	1.100	-	1.300
17	7413	38.00	6.00	2.280	-	2.480
18	7414	38.00	9.50	3.610	-	3.810
19	7426	40.00	3.00	1.200	-	1.400
20	7427	40.00	6.00	2.400	-	2.600
21	7428	40.00	10.00	4.000	-	4.200
22	7430	50.00	4.50	2.250	-	2.450
23	7431	50.00	6.00	3.000	-	3.200
24	7433	50.00	10.00	5.000	-	5.200
25	7435	50.00	12.00	6.000	-	6.200
26	7436	50.00	12.50	6.250	-	6.450
27	7441	63.00	9.50	5.985	-	6.150
28	7442	63.00	10.00	6.300	-	6.500
29	7443	63.00	12.00	7.560	-	7.760




Flat Bar :




SL. No.	Section No.	A	T	Weigh t Range 12'	
30	7445	75.00	6.00	4.500	4.700
31	7446	75.00	10.00	7.500	7.700
32	7449	75.00	12.00	9.000	9.300
33	7452	80.00	10.00	8.000	9.300
34	7455	100.00	6.00	6.000	6.200
35	7457	100.00	10.00	10.000	10.300
36	7459	100.00	12.00	12.000	12.400
37	7462	125.00	10.00	12.500	13.000
38	7465	150.00	6.00	9.000	9.300
39	7466	50.00	10.00	15.000	15.400
40	7467	150.00	12.00	18.000	19.000

Hex Bar :





SL. No.	Section No.	A	Weigh t Range 12'	
1	7601	13.00	1.230	1.300
2	7603	16.00	1.900	2.000
3	7605	19.00	2.750	2.850

Square Bar :



SL. No.	Section No.	A	Weigh t Range 12'	
1	7001	12.70	1.600	- 1.800
2	7003	15.80	2.500	- 2.700
3	7004	19.00	3.600	- 3.800
4	7005	ZS.40	6.300	- 6.500
5	7007	32.00	10.100	- 10.500
6	7009	38.00	14.300	- 15.000


Round Tube:



SL. No.	Section No.	A	B	Weigh t Range 12'	
1	1611	25.00	4.5	2.800	-3.000
2	1621	30.00	6.5	4.700	-4.900
3	1625	32.00	6.0	4.800	-5.000
4	1628	33.00	6.0	5.000	-5.200
5	1631	38.00	7.5	7.100	-7.400
6	1641	48.00	8.5	10.380	-10.680
7	1651	54.00	10.00	13.800	-14.200




Round Bar :





SL. No.	Section No.	A	Weigh t Range 12'	
1	7203	12.00	1.100	- 1.3 00
2	7205	15.80	1.900	2.1 00
3	7207	19.00	2.7 00	- 2.9 00
4	72 11	25 .40	4.9 00	- 5.100
5	72 13	30.00	6.900	7.200
6	72 19	32.00	7.900	8.200
7	72 21	36.00	9.900	- 10.200

Fluted Tube:





SL. No.	Section No.	A	T	Weigh t Range 12'	
1	1751	25.40	1.50	1.100	-1.300
2	1752	25.40	1.55	1.300	-1.500
3	1753	25.40	2.00	1.500	-1.700

Equal Angle:



SL. No.	Section No.	A	T	Weight Range 12'		
1	3202	25.00	1.50	0.700	-	0.800
2	3203	25.00	2.80	1.300	-	1.500
3	3204	38.00	3.75	2.700	-	2.900
4	3205	50.00	4.50	4.200	-	4.400
5	3211	TO.DO	6.00	5.500	-	5.700


Unequal Angle:



SL. No.	Section No.	A	B	T	Weight Range 12'	
1	3106	38.10	25.40	2.15	1.400	-1.600
2	3111	50.80	25.40	2.85	2.000	-2.200




C Section





SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	1761	66.68	31.75	1.40	1.600	- 1.800
2	1762	66.68	31.75	1.60	1.900	- 2.100
3	1764	66.68	31.75	2.30	2.600	- 2.800

Stapazing



SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	1771	65.00	30.00	0.9	1.400	- 1.600

Hinge




SL. No.	Section No.	A	Weigh t Range 12'	
1	1781	2.80	1.350	-1.600

Water Channel:



SL. No.	Section No.	T	Weight Range 12'	
1	7506	0.85	0.750	- 0.800

Water Channel:



SL. No.	Section No.	T	Weight Range 12'	
1	7511	0.85	0.750	- 0.800

L Section:



SL. No.	Section No.	T	Weight Range 12'	
1	7516	1.60	1.700	- 1.800



Double Roller Channel :



SL. No.	Section No.	T	Weight Range 12'	
1	7501	2.30	3.900	- 4.100





Single Door Partition:



SL. No.	Section No.	A	B	T	Weight Range 12'	
1	1002	50.80	25.40	0.90	1.500	- 1.700
2	1003	50.80	25.40	1.30	2.000	- 2.300
3	1004	50.80	25.40	1.50	2.400	- 2.700
4	1021	63.50	38.10	0.80	1.700	- 1.900
5	1022	63.50	38.10	0.90	1.900	- 2.100
6	1023	63.50	38.10	1.00	2.100	- 2.400
7	1024	63.50	38.10	1.15	2.400	- 2.600
8	1025	63.50	38.10	1.30	2.600	- 2.900
9	1026	63.50	38.10	1.45	3.000	- 3.300
10	1027	63.50	38.10	1.75	3.700	- 3.900
11	1029	63.50	38.10	2.50	5.100	- 5.400
12	1030	63.50	38.10	3.00	5.600	- 6.000
13	1051	101.6	44.45	1.10	3.700	- 4.000
14	1052	101.6	44.45	1.35	4.100	- 4.300
15	1053	101.6	44.45	1.65	4.900	- 5.200
16	1054	101.6	44.45	1.75	5.300	- 5.600
17	1055	101.6	44.45	1.95	5.900	- 6.200
18	1056	101.6	44.45	2.55	7.500	- 7.800
19	1058	101.6	44.45	3.00	8.900	- 9.200



Double Partition:



SL. No.	Section No.	A	B	T	Weight Range 12'	
1	1072	50.80	25.40	0.90	1.500	- 1.700
2	1073	50.80	25.40	1.30	2.000	- 2.300
3	1074	50.80	25.40	1.50	2.400	- 2.700
4	1091	63.50	38.10	0.80	1.700	- 1.900
5	1092	63.50	38.10	0.90	1.900	- 2.100
6	1093	63.50	38.10	1.00	2.100	- 2.400
7	1094	63.50	38.10	1.15	2.400	- 2.600
8	1095	63.50	38.10	1.30	2.600	- 2.900
9	1096	63.50	38.10	1.45	3.000	- 3.300
10	1097	63.50	38.10	1.75	3.700	- 3.900
11	1099	63.50	38.10	2.50	5.100	- 5.400
12	1100	63.50	38.10	3.00	5.600	- 6.000
13	1121	101.60	44.45	1.10	3.700	- 4.000
14	1122	101.60	44.45	1.35	4.100	- 4.300
15	1123	101.60	44.45	1.65	4.900	- 5.200
16	1124	101.60	44.45	1.75	5.300	- 5.600
17	1125	101.60	44.45	1.95	5.900	- 6.200
18	1126	101.60	44.45	2.SS	7.500	- 7.800
19	1128	101.60	44.45	3.00	8.900	- 9.200





Door Top:





SL. No.	Section No.	A	B	T	Weight Range 12'	
1	1181	47.62	44.45	1.35	2.500	- 2.700
2	1182	47.62	44.45	2.00	3.200	- 3.400

Door Middle Single:




SL. No.	Section No.	A	B	T	Weight Range 12'	
1	1141	47.62	44.45	1.30	2.300	- 2.500
2	1142	47.62	44.45	1.45	2.600	- 2.800

Door Middle Double:




SL. No.	Section No.	A	B	T	Weight Range 12'	
1	1161	47.62	44.45	1.30	2.300	- 2.500
2	1162	47.62	44.45	1.45	2.600	- 2.800
3	1171	101.62	44.45	1.1	4.800	- 5.200

Door Bottom:




SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	1221	95.00	25.00	1.45	4.100	- 4.400
2	1222	95.00	25.00	1.80	5.100	- 5.400

Door Vertical:



SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	1202	47.62	44.45	1.30	2.450	- 2.650
2	1203	47.62	44.45	1.50	3.300	- 3.600
3	1211	83.00	44.45	1.45	4.100	- 4.400



Glazing Clip:



SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	1251	18.50	17.20	0.50	0.220	- 0.250
2	1252	18.50	17.20	0.58	0.251	- 0.270
3	1253	18.50	17.20	0.65	0.271	- 0.300
4	1254	18.50	17.20	0.70	0.301	- 0.320
5	1255	18.50	17.20	0.75	0.321	- 0.350





Twinstyle Door Series (Hollow Glass Section)



SL. No.	Section No.	T	Weight Range 12'
1	1281	2.40	7.100 - 7.600



Casement (Openable) Window Series 34 Series

Outer Frame:



SL. No.	Section No.	T	Weight Range 12'
1	1301	1.50	1.650 - 1.900



Shutter Frame:



SL. No.	Section No.	T	Weight Range 12'
1	1304	1.50	1.350 - 1.600



Casement (Openable) Window Series

Mullion:





SL. No.	Section No.	T	Weight Range 12'
1	1310	1.50	2.400 - 2.600

Clip:



SL. No.	Section No.	T	Weight Range 12'
1	1315	0.85	0.480 - 0.550
2	1316	1.00	0.550 - 0.650

Outer Frome:





SL. No.	Section No.	T	Weight Range 12'
1	1321	2.30	2.100 - 2.300





Casement (Openable) Window Series

Shutter Frame:





SL. No.	Section No.	T	Weight Range 12'
1	1325	1.25	2.100 - 2.300

Mullion:





SL. No.	Section No.	T	Weight Range 12'
1	1330	1.80	3.100 - 3.400

Clip:



SL. No.	Section No.	T	Weight Range 12'
1	1335	1.20	0.550 - 0.650



Cleat Angle:



SL. No.	Section No.	T	Weight Range 12'
1	1318	3.80	3.450 - 3.650



Sliding Window Series: (18MM)

Two Track Top:





SL. No.	Section No.	T	Weight Range 12'
1	1801	0.08	1.700 - 1.900

Two Track Bottom:





SL. No.	Section No.	T	Weight Range 12'
1	1821	0.08	2.100 - 2.300

Three Track Top:



SL. No.	Section No.	T	Weight Range 12'
1	1811	0.08	2.100 - 2.300

Three Track Bottom:





SL. No.	Section No.	T	Weight Range 12'
1	1831	0.08	2.300 - 2.500





Sliding Window Series: (18MM)

A Section:





SL. No.	Section No.	T	Weight Range 12'
1	1841	0.09	1.100 - 1.300

H Section:



SL. No.	Section No.	T	Weight Range 12'
1	1851	0.9	1.100 - 1.300

Interlock:




SL. No.	Section No.	T	Weight Range 12'
1	1861	0.9	1.200 - 1.400

Sliding Window Sections (18MM)

Section No 4226


Wt/Mtr 1.002 Kg



2 TRACK HOLLOW BOTTOM

Section No 4224


Wt/Mtr 1.100 Kg



2 TRACK FRAME GUTTER


Section No 4245

Wt/Mtr 1.03 Kg




Section No 4246

Wt/Mtr 1.13 Kg




Section No 4307

Wt/Mtr 0.759 Kg




Section No 4388

Wt/Mtr 1.253 Kg




Section No 4306

Wt/Mtr 0.659 Kg



Section No 4225

Wt/Mtr 0.959 Kg




2 TRACK HOLLOW TOP



Sliding Window Sections (18MM)


Section No 4310

Wt/Mtr 0.813 Kg




Section No 4343

Wt/Mtr 0.556 Kg




Section No 4309

Wt/Mtr 0.901 Kg




Section No 4242

Wt/Mtr 1.470 Kg




Section No 4243

Wt/Mtr 1.515 Kg




Section No 4244

Wt/Mtr 1.660 Kg




Section No 4312

Wt/Mtr 1.067 Kg





Section No 4311

Wt/Mtr 1.195 Kg





Sliding Window Series: (20MM)

Two Track Top:



SL. No.	Section No.	T	Weigh t Range 12'		
1	2001	0.80	1.700	-	1.900
2	2002	1.00	1.900	-	2.100
3	2003	1.15	2.200	-	2.400
4	2004	1.30	2.400	-	2.700
5	2005	1.50	2.700	-	2.950
6	2006	1.70	2.950	-	3.200

Two Track Bottom:





SL. No.	Section No.	T	Weigh t Range 12'		
1	2021	0.85	2.000	-	2.200
2	2022	1.00	2.200	-	2.400
3	2023	1.15	2.500	-	2.700
4	2024	1.30	2.700	-	3.000
5	2025	1.50	3.000	-	3.300
6	2026	1.65	3.300	-	3.700





Sliding Window Series: (20MM)

Three Track Top:





SL. No.	Section No.	T	Weight Range 12'		
1	2011	0.85	2.400	-	2.600
2	2012	1.00	2.600	-	2.900
3	2013	1.15	3.000	-	3.300
4	2014	1.35	3.500	-	3.800
5	2015	1.50	3.700	-	4.100
6	2016	1.65	4.100	-	4.400

Three Track Bottom:





SL. No.	Section No.	T	Weight Range 12'		
1	2031	0.85	2.800	-	3.100
2	2032	1.00	3.100	-	3.400
3	2033	1.15	3.400	-	3.800
4	2034	1.30	3.800	-	4.200
5	2035	1.80	4.200	-	4.500
6	2036	1.65	4.500	-	4.800

Four Track Top:





SL. No.	Section No.	T	Weight Range 12'		
1	2072	1.20	4.200	-	4.400

Four Track Bottom:





SL. No.	Section No.	T	Weigh t Range 12'		
1	2082	1.20	4.700	-	4.900

A Section:



SL. No.	Section No.	T	Weigh t Range 12'		
1	2031	0.85	2.800	-	3.100
2	2032	1.00	3.100	-	3.400
3	2033	1.15	3.400	-	3.800
4	2034	1.30	3.800	-	4.200
5	2035	1.50	4.200	-	4.500
6	2036	1.65	4.500	-	4.800



H Section:



SL. No.	Section No.	T	Weigh t Range 12'		
1	2072	1.20	4.200	-	4.400



Interlock:



SL. No.	Section No.	T	Weight Range 12'	
1	2062	0.85	1.200	- 1.350
2	2062	1.00	1.400	- 1.600
3	2063	1.15	1.600	- 1.750
4	2064	1.30	1.900	- 2.100
5	2065	1.50	2.100	- 2.300
6	2066	1.60	2.300	- 2.700

<p>Section No 4355</p> <p>Wt/Mtr 0.573 Kg</p>	<p>Section No 4356</p> <p>Wt/Mtr 0.705 Kg</p>
<p>Section No 4372</p> <p>Wt/Mtr 0.421 Kg</p>	<p>Section No 4373</p> <p>Wt/Mtr 0.502 Kg</p>

Sliding Window Sections (20MM)

Section No 4303	Wt/Mtr 0.605 Kg	Section No 4304	Wt/Mtr 0.484 Kg
Section No 4305	Wt/Mtr 0.465 Kg	Section No 4340	Wt/Mtr 0.335 Kg
Section No 4341	Wt/Mtr 0.411 Kg	Section No 4342	Wt/Mtr 0.329 Kg
Section No 4313	Wt/Mtr 0.383 Kg	Section No 4354	Wt/Mtr 0.635 Kg



Section No 4355 Wt/Mtr 0.573 Kg	Section No 4356 Wt/Mtr 0.705 Kg
Section No 4372 Wt/Mtr 0.421 Kg	Section No 4373 Wt/Mtr 0.502 Kg











Sliding Window Sections (25MM)

<p>Section No 4259</p>	<p>Wt/Mtr 1.185 Kg</p>		<p>Section No 4252</p> <p>Wt/Mtr 0.707 Kg</p> <p>2 TRACK FRAME TOP&SIDE</p>
<p>Section No 4254</p>	<p>Wt/Mtr 0.839 Kg</p>	<p>2 TRACK FRAME BOTTOM</p>	<p>Section No 4280</p> <p>Wt/Mtr 1.03 Kg</p>
<p>Section No 4281</p>	<p>Wt/Mtr 1.163 Kg</p>		<p>Section No 4294</p> <p>Wt/Mtr 1.540 Kg</p>
<p>Section No 4293</p>	<p>Wt/Mtr 1.570 Kg</p>		<p>Section No 4295</p> <p>Wt/Mtr 1.393 Kg</p> <p>3 TRACK FRAME TOP&SIDE</p>



Sliding Window Sections (25MM)

Section No 4296	Wt/Mtr 1.374 Kg	Section No 4297	Wt/Mtr 1.569 Kg
			
Section No 4357	Wt/Mtr 1.00 Kg	Section No 4358	Wt/Mtr 1.14 Kg
			
Section No 4260	Wt/Mtr 1.69 Kg	Section No 4256	Wt/Mtr 1.20 Kg
	 <p>3 TRACK FRAME TOP&SIDE</p>		
Section No 4258	Wt/Mtr 1.35 Kg		
 <p>3 TRACK FRAME BOTTOM</p>			

Sliding Window Sections (25MM)


Section No 4262	Wt/Mtr 0.761 Kg	Section No 4265	Wt/Mtr 0.689 Kg
<p style="text-align: center;">INTERLOCK</p>	<p style="text-align: center;">SHUTTER SIDE FRAME</p>		
Section No 4271	Wt/Mtr 0.745 Kg	Section No 4325	Wt/Mtr 0.613 Kg
<p style="text-align: center;">SHUTTER TOP&BOTTOMSID</p>			
Section No 4328	Wt/Mtr 0.683 Kg	Section No 4329	Wt/Mtr 0.729 Kg
Section No 4283	Wt/Mtr 0.807 Kg	Section No 4284	Wt/Mtr 0.985 Kg



Sliding Window Sections (25MM)


Section No 4282

Wt/Mtr 0.856 Kg





Section No 4285

Wt/Mtr 0.723 Kg



Section No 4288

Wt/Mtr 0.888 Kg



Sliding Window Sections (30MM)


<p>Section No 4326</p>	<p>Wt/Mtr 1.26 Kg</p>		<p>Section No 4333</p> <p>Wt/Mtr 1.82 Kg</p>
<p>Section No 4380</p>	<p>Wt/Mtr 2.565 Kg</p>		<p>Section No 4381</p> <p>Wt/Mtr 1.593 Kg</p>
<p>Section No 4334</p>	<p>Wt/Mtr 1.131 Kg</p>		<p>Section No 4330</p> <p>Wt/Mtr 0.864 Kg</p>
<p>Section No 4331</p>	<p>Wt/Mtr 0.923 Kg</p>		<p>Section No 4332</p> <p>Wt/Mtr 1.050 Kg</p>



Sliding Window Sections (30MM)


Section No 4351

Wt/Mtr 2.03 Kg




Section No 4349

Wt/Mtr 1.223 Kg




Section No 4353

Wt/Mtr 1.98 Kg





Section No 4352

Wt/Mtr 2.10 Kg





40 MM Series

Mullion:





SL. No.	Section No.	A	B	C	T	WT Range 12'
1	1330	63.00	40.00	27.00	1.40	2.700 - 3.000
2	1331	63.00	40.00	27.00	1.70	3.300 - 3.500

Shutter Frame:



SL. No.	Section No.	A	B	C	T	WT Range 12'
1	1332	47.00	42.00	29.00	1.40	2.200 - 2.400

Outer Frame:




SL. No.	Section No.	A	B	C	T	WT Range 12'
1	1333	41.00	40.00	22.60	1.20	1.800 - 2.100
2	1334	41.00	40.00	22.60	1.40	2.100 - 2.300



40 MM Series


Sec. No. - 1336

WT. Range : 2.500 - 2.800 kg / 12'




Sec. No. - 1337

WT. Range : 2.700 - 2.950 kg / 12'




Sec. No. - 1338

WT. Range : 0.750 - 0.950 kg / 12'




Sec. No. - 1338

WT. Range : 0.750 - 0.950 kg / 12'





Sec. No. - 1338W

T. Range : 0.750 - 0.950 kg / 12'





Sliding Door Series

Two Track Top:



SL. No.	Section No.	T	Weight Range 12'
1	2102	1.65	4.400 - 4.700



Two Track Bottom:



SL. No.	Section No.	T	Weight Range 12'
1	2122	1.80	5.500 - 5.900





Three Track Top:





SL. No.	Section No.	T	Weight Range 12'
1	2112	1.80	6.200 - 6.600

Three Track Bottom:





SL. No.	Section No.	T	Weight Range 12'
1	2132	1.80	8.000 - 8.500

A Section:





SL. No.	Section No.	T	Weight Range 12'
1	2142	1.80	3.500 - 3.800

H Section:





SL. No.	Section No.	T	Weight Range 12'
1	2152	1.80	3.600 - 3.900

Interlock:





SL. No.	Section No.	T	Weight Range 12'
1	2162	1.80	4.100 - 4.400

Curtain Wall:





SL. No.	Section No.	T	Weight Range 12'
1	1423	2.00	4.500 - 4.700

Curtain Wall:



SL. No.	Section No.	T	Weight Range 12'
1	1426	1.50	4.100 - 4.300


Curtain Wall:



SL. No.	Section No.	T	Weight Range 12'
1	1431	1.80	6.100 - 6.500





Rectangular Tube:




SL. No.	Section No.	A	B	T	Weight Range 12'	
1	1501	36.10	24.40	0.65	0.750	- 0.850
2	1502	36.10	24.40	0.68	0.850	- 1.000
3	1503	36.10	24.40	0.90	1.000	- 1.200
4	1504	36.10	24.40	1.05	1.200	- 1.400
5	1506	50.00	25.40	0.65	0.800	- 1.000
6	1507	50.00	25.40	0.75	1.000	- 1.200
7	1508	50.00	25.40	0.90	1.200	- 1.400
8	1509	50.00	25.40	1.30	1.800	- 2.100
9	1510	50.00	25.40	3.00	2.700	- 3.000
10	1511	63.50	38.10	0.75	1.350	- 1.550
11	1512	63.50	38.10	1.20	2.000	- 2.200
12	1513	63.50	38.10	1.75	2.900	- 3.100
13	1514	63.50	38.10	3.00	5.400	- 5.600
14	1521	101.60	44.45	1.20	4.000	- 4.200
15	1522	101.60	44.45	1.30	4.300	- 4.600

Square Tube:





SL. No.	Section No.	A	T	Weight Range 12'	
1	1551	19.00	1.50	1.100	-1.300
2	1552	25.40	2.20	1.500	-1.700

Bulb Tee:



SL. No.	Section No.	A	B	T	Weight Range 12'	
1	3301	25.40	25.40	1.00	0.485	- 0.525
2	3302	25.40	25.40	1.30	1.300	- 1.500
3	3311	38.10	25.40	1.10	0.650	- 0.750
4	3315	38.10	38.10	1.35	1.000	- 1.100



G Section:



SL. No.	Section No.	T	Weight Range 12'	
1	1271	2.00	2.450	- 2.650





Bus Body : H



SL. No.	Section No.	A	B	T	Weight Range 12'
1	7801	24.00	13.00	1.50	1.250 - 1.400



Bus Body : F





SL. No.	Section No.	A	B	T	Weight Range 12'
1	7806	36.60	18.60	1.10	1.000 - 1.200

DOMAL SERIES



3/4" - DOMAL SERIES





SL. No.	Section No.	A	B	T	Weight Range 12'	
1	3401	44.50	31.50	1.00	1.100	- 1.200
2	3402	44.50	31.50	1.20	1.200	- 1.400
3	3403	44.50	31.50	1.50	1.400	- 1.550





SL. No.	Section No.	T	Weight Range 12'	
1	3411	1.00	0.700	- 0.800
2	3412	1.20	0.850	- 0.950





SL. No.	Section No.	A	B	T	Weight Range 12'	
1	3421	74.50	31.50	1.00	1.100	- 1.200
2	3422	74.50	31.50	1.20	1.200	- 1.400
3	3423	74.50	31.50	1.50	1.400	- 1.550



SL. No.	Section No.	T	Weight Range 12'	
1	3431	0.90	1.700	- 1.850
2	3432	1.00	1.900	- 2.100
3	3433	1.20	2.200	- 2.400
4	3434	1.35	2.450	- 2.700



SL. No.	Section No.	A	B	T	Weight Range 12'	
1	3441	74.50	31.50	1.00	2.400	- 2.600
2	3442	74.50	31.50	1.20	2.900	- 3.200




SL. No.	Section No.	T	Weight Range 12'	
1	3451	1.20	1.950	- 2.150
2	3452	1.50	2.400	- 2.600

1" DOMAL SERIES


SEC. NO:-3501

Weight :- 1.020kg/12'




SEC. NO:-3503

Weight :- 3.160kg/12'




SEC. NO:-3505

Weight :-6.700kg/12'




SEC. NO:-3507

Weight :- 2.930kg/12'




SEC. NO:-3509

Weight :- 4.630kg/12'



SEC. NO:-3511

Weight :- 5.300kg/12'






DOMAL SERIES

SEC. NO:-3551

Weight :- 2.775kg/12'


Euro Shutter



SEC. NO:-3553

Weight :- 1.000kg/12'


Euro Clip



SEC. NO:-3555

Weight :- 2.840kg/12'


27x60 Shutter



SEC. NO:-3557

Weight :- 1.260kg/12'


27x60 Clip



SEC. NO:-3559

Weight :- 2.755kg/12'


Shutter



SEC. NO:-3561

Weight :- 1.00kg/12'

Clip




DOMAL SERIES

SEC. NO:-3563


Weight :- 3.080kg/12'

Double Glass Shutter




SEC. NO:-3565

Weight :- 2.850kg/12'




SEC. NO:-3567

Weight :- 1.000kg/12'




SEC. NO:-3569

Weight :- 4.660kg/12'



SEC. NO:-3571


Weight :- 2.930kg/12'



SEC. NO:-3573

Weight :- 2.530kg/12'

22mm Shutter






DOMAL SERIES

SEC. NO:-3575


Weight :- 0.800kg/12'

22mm Clip




SEC. NO:-3577

Weight :- 2.360kg/12'



SEC. NO:-3579


Weight :- 3.560kg/12'



SEC. NO:-3601


Weight :- 1.880kg/12'

22mm R. SHAPE




SEC. NO:-3603

Weight :- 0.645kg/12'



SEC. NO:-3606


Weight :- 1.000kg/12'



DOMAL SERIES


SEC. NO:-3607

Weight :- 3.860kg/12'



SEC. NO:-3609


Weight :- 2.500kg/12'



SEC. NO:-3621


Weight :- 5.115kg/12'

35mm Domal




SEC. NO:-3623

Weight :- 1.390kg/12'




SEC. NO:-3625

Weight :- 4.845kg/12'



SEC. NO:-3627

Weight :- 3.390kg/12'






DOMAL SERIES


SEC. NO:-3629

Weight :- 8.760kg/12'




SEC. NO:-3651

Weight :- 2.965kg/12'




SEC. NO:-3653

Weight :- 1.900kg/12'




SEC. NO:-3655

Weight :- 4.310kg/12'




SEC. NO:-3657

Weight :- 6.820kg/12'



SEC. NO:-3671


Weight :- 3.225kg/12'



DOMAL SERIES


SEC. NO:-3673

Weight :-1.340kg/12'




SEC. NO:-3675

Weight :-2.930kg/12'




SEC. NO:-3677

Weight :- 3.900kg/12'




SEC. NO:-3679

Weight :- 6.300kg/12'




SEC. NO:-3681

Weight :- 0.530kg/12'



SEC. NO:-3683

Weight :- 1.400kg/12'






DOMAL SERIES


SEC. NO:-3685

Weight :- 2.115kg/12'




SEC. NO:-3687

Weight :- 1.000kg/12'




SEC. NO:-3689

Weight :- 2.990kg/12'




SEC. NO:-3691

Weight :- 1.775kg/12'




SEC. NO:-3693

Weight :- 3.800kg/12'



SEC. NO:-3695


Weight :- 3.270kg/12'



DOMAL SERIES


SEC. NO:-3697

Weight :- 3.100kg/12'




SEC. NO:-3699

Weight :- 2.900kg/12'




SEC. NO:-3701

Weight :- 6.175kg/12'




SEC. NO:-3703

Weight :- 0.325kg/12'




SEC. NO:-3705

Weight :- 7.045kg/12'



SEC. NO:-3721

Weight :- 1.675kg/12'






DOMAL SERIES


SEC. NO:-3723

Weight :- 0.770kg/12'




SEC. NO:-3725

Weight :- 2.155kg/12'




SEC. NO:-3727

Weight :- 1.520kg/12'




SEC. NO:-3729

Weight :- 2.250kg/12'




SEC. NO:-3731

Weight :- 1.195kg/12'



SEC. NO:-3733


Weight :- 0.425kg/12'



DOMAL SERIES


SEC. NO:-3735

Weight :- 5.110kg/12'




SEC. NO:-3771

Weight :- 6.755kg/12'




SEC. NO:-3773

Weight :- 4.500kg/12'




SEC. NO:-3775

Weight :- 4.700kg/12'




SEC. NO:-3785

Weight :- 3.700kg/12'



SEC. NO:-3787

Weight :- 2.350kg/12'






DOMAL SERIES


SEC. NO:-3789

Weight :-3.635kg/12'




SEC. NO:-3791

Weight :- 5.325kg/12'




SEC. NO:- 3831

Weight :- 2.880kg/12'




SEC. NO:- 3833

Weight :- 2.700kg/12'




SEC. NO:- 3835

Weight :- 3.038kg/12'



SEC. NO:- 3837


Weight :- 2.885kg/12'



DOMAL SERIES


SEC. NO:- 3839

Weight :- 1.745kg/12'




SEC. NO:- 3847

Weight :- 7.000-7.180kg/12'




SEC. NO:- 3849

Weight :- 5.015kg/12'




SEC No. 7235

Weight :- 4.950kg/12'




SEC No. 7236

Weight :- 5.700kg/12'



SEC No. 7241

Weight :- 4.050kg/12'






DOMAL SERIES


SEC No. 7242

Weight :-5.700kg/12'




SEC No.7264

Weight :-0.500kg/12'




SEC No. 7265

Weight :- 2.650kg/12'




SEC No. 7266

Weight :- 2.635kg/12'




SEC No. 7285

Weight :- 8.190kg/12'



SEC No. 7286


Weight :-11.590kg/12'



DOMAL SERIES


SEC No. 7287

Weight :- 1.100kg/12'




SEC No.7288

Weight :- 1.830kg/12'




SEC No. 7289

Weight :- 1.200kg/12'




SEC No.7290

Weight :- 2.475kg/12'




SEC No.7291

Weight :-3.100kg/12'



SEC No. 7292

Weight :- 1.300kg/12'






DOMAL SERIES


SEC No. 7293

Weight :- 2.600kg/12'




SEC No. 7294

Weight :- 2.750kg/12'




SEC No. 7295

Weight :-4.550kg/12'




SEC No. 7296

Weight :-0.400kg/12'




SEC No. 7297

Weight :- 1.500kg/12'



SEC No. 7298


Weight :-2.800kg/12'



DOMAL SERIES


SEC No. 7299

Weight :-1.400kg/12'




SEC No.7300

Weight :-3.600kg/12'




SEC No. 7301

Weight :-0.500kg/12'




SEC No. 7302

Weight :-4.375kg/12'




SEC No. 7303

Weight :-1.400kg/12'



SEC No. 7304

Weight :-2.850kg/12'






DOMAL SERIES


SEC No. 7305

Weight :-1.700kg/12'




SEC No. 7306

Weight :-1.730kg/12'




SEC No. 7307

Weight :-1.630kg/12'




SEC No. 7308

Weight :-1.650kg/12'




SEC No. 7349

Weight :-0.590kg/12'



SEC No. 7350


Weight :-4.400kg/12'



DOMAL SERIES


SEC No. 7351

Weight :-6.500kg/12'




SEC No. 7379

Weight :-2.700kg/12'




SEC No. 7380

Weight :-1.950kg/12'




SEC No. 7381

Weight :-0.900kg/12'




SEC No. 7384

Weight :-0.690kg/12'



SEC No. 7439

Weight :-4.00kg/12'






DOMAL SERIES


SEC No.7440

Weight :-5.700kg/12'




SEC No.7441

Weight :-7.975kg/12'




SEC No. 7453

Weight :-11.700kg/12'




SEC No. 7486

Weight :-2.100kg/12'




SEC. NO:-7529

Weight :- 1.720kg/12'



SEC. NO:-7530


Weight :- 2.375kg/12'



DOMAL SERIES


SEC. NO:-7531

Weight :- 3.800kg/12'




SEC. NO:-7532

Weight :- 2.614kg/12'




SEC. NO:-7534

Weight :- 1.984kg/12'




SEC. NO:-7550

Weight :- 5.332kg/12'



SEC. NO:-7560

Weight :- 6.120kg/12'



SEC. NO:-7562

Weight :- 0.350kg/12'






DOMAL SERIES


SEC No. 7595

Weight :- 1.000kg/12'




SEC No. 7608

Weight :-7.600kg/12'




SEC No. 7614

Weight :-8.250kg/12'




SEC No. 7640

Weight:-3.800Kg/12'




SEC No. 7641

Weight:-3.500Kg/12'



SEC No. 7688


Weight:-1.660Kg/12'



DOMAL SERIES


SEC No. 7689

Weight:-2.420Kg/12'




SEC No. 7690

Weight:-1.760Kg/12'




SEC No. 7691

Weight:-0.800Kg/12'




SEC No. 7728

Weight :- 3.700kg/12'




SEC No. 7729

Weight :- 2.650kg/12'



SEC No. 7730

Weight :- 0.490kg/12'






DOMAL SERIES


SEC No. 7731

Weight :- 0.815kg/12'




SEC No. 7783

Weight:-2.300Kg/12'




SEC No. 7785

Weight:-8.000Kg/12'




SEC No. 7830

Weight:-3.435Kg/12'




SEC No. 7831

Weight:-2.295Kg/12'



SEC No. 7838


Weight:-7.233Kg/12'



DOMAL SERIES


SEC No. MA7926

Weight:-11.750Kg/12'




SEC No. MA7927

Weight:-10.200Kg/12'




SEC No. MA7928

Weight:-6.950Kg/12'




SEC No. MA7929

Weight:-6.800Kg/12'




SEC No:- 8157

Weight:-6.880Kg/12'



SEC No. 8475

Weight:-0.680Kg/12'






DOMAL SERIES


SEC No. 8499

Weight:-1.035Kg/12'




SEC No. 8500

Weight:-0.765Kg/12'




SEC No. 8504

Weight:-2.850Kg/12'




SEC No. 8505

Weight:-0.950Kg/12'




SEC No. 8506

Weight:-5.150Kg/12'



SEC No. 8507


Weight:-8.140Kg/12'



DOMAL SERIES


SEC No. 8567

Weight:5.460Kg/12'




SEC No. 8569

Weight:3.170Kg/12'




SEC No. 8570

Weight:7.050Kg/12'




SEC No. 8571

Weight:5.680Kg/12'




SEC No.: -8816

Weight:-5.800Kg/12'



SEC No.: -8817

Weight:-0.540Kg/12'






DOMAL SERIES


SEC No.: -8818

Weight: -3.850Kg/12'




SEC No.: - SA8828

Weight: -14.850Kg/12'



SEC No.: - SA8829

Weight: -13.200Kg/12'



Louver-Sections


Section No 4003	Wt/Mtr 1.510 Kg	Section No 4002	Wt/Mtr 0.672 Kg
Section No 4004	Wt/Mtr 0.788 Kg	Section No 4001	Wt/Mtr 0.832 Kg
Section No 1568	Wt/Mtr 1.333 Kg	Section No 1589	Wt/Mtr 1.700 Kg
Section No 1943		Section No 4013	Wt/Mtr 0.248 Kg
Section No 4012	Wt/Mtr 0.545 Kg	Section No 4039	Wt/Mtr 0.399 Kg



Louver Sections


Section No 4003

Wt/Mtr 1.510 Kg




Section No 4002

Wt/Mtr 0.672 Kg




Section No 4004

Wt/Mtr 0.788 Kg




Section No 4001

Wt/Mtr 0.832 Kg




Section No 1568

Wt/Mtr 1.333 Kg




Section No 1589

Wt/Mtr 1.700 Kg




Section No 1943




Section No 4013

Wt/Mtr 0.248 Kg




Section No 4012

Wt/Mtr 0.545 Kg



Section No 4039


Wt/Mtr 0.399 Kg



Window-Sections

Section No 4362

Wt/Mtr 0.54 Kg




Section No 4363

Wt/Mtr 0.455 Kg




Section No 4366

Wt/Mtr 0.473 Kg




Section No 4368

Wt/Mtr 0.343 Kg




Section No 4369

Wt/Mtr 0.656 Kg




Section No 4370

Wt/Mtr 0.618 Kg




Section No 1652

Wt/Mtr 0.086 Kg



Section No 1652 A

Wt/Mtr 0.078 Kg






Window-Sections


Section No 4403

Wt/Mtr 0.853 Kg




Section No 4402

Wt/Mtr 0.942 Kg




Section No 4374

Wt/Mtr 0.178 Kg




Section No 4375

Wt/Mtr 0.159 Kg




Section No 4376

Wt/Mtr 1.01 Kg




Section No 4377

Wt/Mtr 0.893 Kg



Section No 4378

Wt/Mtr 0.508 Kg



Section No 4389

Wt/Mtr 0.502 Kg



Window-Sections











<p>Section No 4382 Wt/Mtr 0.697 Kg</p>	<p>Section No 4327 Wt/Mtr 1.56 Kg</p>
<p>Section No 4384 Wt/Mtr 0.868 Kg</p>	<p>Section No 4385 Wt/Mtr 0.327 Kg</p>
<p>Section No 4386 Wt/Mtr 1.120 Kg</p>	<p>Section No 4414 Wt/Mtr 0.337 Kg</p>
<p>Section No 4415 Wt/Mtr 0.899 Kg</p>	<p>Section No 4416 Wt/Mtr 0.894 Kg</p>
<p>Section No 4432 Wt/Mtr 0.764 Kg</p>	<p>Section No 4436 Wt/Mtr 0.842 Kg</p>



Window-Sections




Section No 4433	Wt/Mtr 0.913 Kg	Section No 4434	Wt/Mtr 0.221 Kg
Section No 4435	Wt/Mtr 1.137 Kg	Section No 4437	Wt/Mtr 0.707 Kg
Section No 4438	Wt/Mtr 0.697 Kg	Section No 4439	Wt/Mtr 0.529 Kg
Section No 4443	Wt/Mtr 2.867 Kg	Section No 4444	Wt/Mtr 1.11 Kg
Section No 4423	Wt/Mtr 0.197 Kg	Section No 4424	Wt/Mtr 0.158 Kg

Window-Sections

<p>Section Nb 4450</p>	<p>Wt/Mtr 0.618 Kg</p>		<p>Section Nb 4458</p>	<p>Wt/Mtr 1.056 Kg</p>	
<p>Section Nb 4451</p>	<p>Wt/Mtr 0.748 Kg</p>		<p>Section Nb 4459</p>	<p>Wt/Mtr 0.367 Kg</p>	
<p>Section Nb 4455</p>	<p>Wt/Mtr 1.085 Kg</p>		<p>Section No 1642</p>	<p>Wt/Mtr 0.456 Kg</p>	
<p>Section Nb 4456</p>	<p>Wt/Mtr 0.635 Kg</p>		<p>Section No 1669</p>	<p>Wt/Mtr 0.689 Kg</p>	
<p>Section Nb 4457</p>	<p>Wt/Mtr 1.013 Kg</p>		<p>Section No 1755</p>	<p>Wt/Mtr 0.410 Kg</p>	



Window-Sections

Section No 1758	Wt/Mtr 0.734 Kg	Section No 1759	Wt/Mtr 0.724 Kg
			
Section No 1760	Wt/Mtr 0.675 Kg		
			

Mosquito-Sections


<p>Section No 4015</p> <p>Wt/Mtr 0.380 Kg</p>	<p>Section No 4014</p> <p>Wt/Mtr 0.359 Kg</p>
<p>Section No 4029</p> <p>Wt/Mtr 0.227 Kg</p>	<p>Section No 4034</p> <p>Wt/Mtr 0.143 Kg</p>
<p>Section No 4007</p> <p>Wt/Mtr 0.246 Kg</p>	<p>Section No 4008</p> <p>Wt/Mtr 0.297 Kg</p>
<p>Section No 4018</p> <p>Wt/Mtr 0.302 Kg</p>	<p>Section No 4019</p> <p>Wt/Mtr 0.324 Kg</p>
<p>Section No 4035</p> <p>Wt/Mtr 0.151 Kg</p>	



Mosquito-Sections


Section No 4036

Wt/Mtr 0.251 Kg




Section No 4037

Wt/Mtr 0.383 Kg











Section No 4038

Wt/Mtr 0.297 Kg



Tower Bolts


Section No 4031	Wt/Mtr 0.21 Kg	Section No 4032	Wt/Mtr 0.367 Kg
			
Section No 4033	Wt/Mtr 0.248 Kg	Section No 4041	Wt/Mtr 0.232 Kg
			
Section No 4042	Wt/Mtr 0.478 Kg	Section No 4045	Wt/Mtr 0.311 Kg
			
Section No 4046	Wt/Mtr 0.389 Kg	Section No 4047	Wt/Mtr 0.227 Kg
			



Fluted Tubes Sections


Section No 6901

Wt/Mtr 0.397 Kg




Section No 6904

Wt/Mtr 0.392 Kg




Section No 6902

Wt/Mtr 0.264 Kg




Section No 6906

Wt/Mtr 1.63 Kg




Section No 6903

Wt/Mtr 0.730 Kg



Section No 6907

Wt/Mtr 2.30 Kg



Section No 6601

Wt/Mtr 0.437 Kg



Fluted Tubes Sections

<p>Section No 6908</p>	<p>Wt/Mtr 0.103 Kg</p>		<p>Section No 6909</p>	<p>Wt/Mtr 1.204. Kg</p>
<p>Section No 6910</p>	<p>Wt/Mtr 0.176 Kg</p>		<p>Section No 6913</p>	<p>Wt/Mtr 0.213 Kg</p>
<p>Section No 6914</p>	<p>Wt/Mtr 0.094 Kg</p>		<p>Section No 6915</p>	<p>Wt/Mtr 0.264 Kg</p>
<p>Section No 6919</p>	<p>Wt/Mtr 0.346 Kg</p>		<p>Section No 6921</p>	<p>Wt/Mtr 0.329 Kg</p>





Fluted Tubes Sections

Section No 6922

Wt/Mtr 2.246 Kg

Section No 6923


Wt/Mtr 1.204. Kg



Handle Hinge Sections


Section No 4812

Wt/Mtr 2.00 Kg




Section No 4817

Wt/Mtr 2.10 Kg




Section No 4813

Wt/Mtr 1.611 Kg




Section No 4811

Wt/Mtr 1.701 Kg




Section No 4818

Wt/Mtr 1.787 Kg



Section No 4819

Wt/Mtr 1.847 Kg




Section No 4824

Wt/Mtr 1.175 Kg



Section No 4823

Wt/Mtr 1.08 Kg






Handle Hinge Sections


Section No 4889

Wt/Mtr 1.88 Kg




Section No 4890

Wt/Mtr 2.039 Kg



Section No 4894

Wt/Mtr 1.931 Kg



Kitchen Profile


SEC. NO:- 7144

Weight :-1.070kg/12'




SEC. NO:- 7226

Weight :-1.385kg/12'




SEC. NO:- 7245

Weight :-1.325kg/12'




SEC. NO:- 7246

Weight :-1.860kg/12'




SEC. NO:- 7247

Weight :-0.400kg/12'



SEC. NO:- 7248

Weight :-0.450kg/12'






Kitchen Profile


SEC No. 7249

Weight :-0.819kg/12'




SEC No. 7354

Weight :-1.100kg/12'




SEC No. 7561

Weight :-1.378kg/12'





SEC No. 7589



Weight :-0.756kg/12'



P-Pipe



SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	2651	36.50	24.00	0.90	1.100	- 1.200
2	2652	36.50	24.00	1.15	1.300	- 1.400
3	3403	36.50	24.00	1.25	1.400	- 1.600



SL. No.	Section No.	A	B	T	Weigh t Range 12'	
1	2661	45.00	24.00	0.85	1.000	- 1.300
2	2662	45.00	24.00	1.05	1.400	- 1.600
3	3463	45.00	24.00	1.25	1.600	- 1.800


<p>SEC. NO:-2666 Weight :- 2.785kg/12'</p>	<p>SEC. NO:-2671 Weight :- 2.640kg/12'</p>
---	---



P-Pipe


SEC. NO:-2676

Weight :- 2.580kg/12'




SEC. NO:-2681

Weight :- 1.440kg/12'




SEC. NO:-2686

Weight :- 1.730kg/12'




SEC No. 7208

Weight :- 1.600kg/12'



SEC No. 8642


Weight:5.400Kg/12'



Solar Profile


SEC No. 7204

Weight :-1.450kg/12'




SEC No. 7313

Weight :-3.000kg/12'




SEC No. 7323

Weight :-3.600kg/12'




SEC. NO:- 7359

Weight :-7.400kg/12'




SEC No. 7463

Weight :-3.200kg/12'



SEC No. 7464

Weight :-2.000kg/12'






Solar Profile


SEC No. 7584

Weight :-5.100kg/12'




SEC No. 7788

Weight:-2.685Kg/12'




SEC No. 7789

Weight:-22.700Kg/12'




SEC No. :-8262

Weight:-24.650Kg/12'




SEC No. 8319

Weight:-3.620Kg/12'



SEC No.:- 8833


Weight:-2.800Kg/12'



Solar Profile


SEC No.:- 8834

Weight:-1.850Kg/12'




SEC No.:- 8835

Weight:-1.625Kg/12'



SEC No.:- 8836

Weight:-2.185Kg/12'






Railing Profiles


SEC. NO:- 5101

Weight :- 14.575kg/12'




SEC. NO:- 5103

Weight :- 10.110kg/12'




SEC. NO:- 5105

Weight :- 40.610kg/12'




SEC. NO:- 5107

Weight :- 2.000kg/12'




SEC. NO:- 5109

Weight :- 29.890kg/12'



SEC. NO:- 5111


Weight :- 3.235kg/12'



Railing


SEC. NO:- 5113

Weight :- 5.995kg/12'




SEC. NO:- 5115

Weight :- 13.785kg/12'




SEC. NO:- 5117

Weight :9.885kg/12'



SEC. NO:- 5119

Weight :-18.900kg/12'




SEC. NO:- 5121

Weight :- 2.135kg/12'



SEC. NO:- 5123

Weight :- 4.765kg/12'






Railing


SEC. NO:- 5125

Weight :- 3.290kg/12'




SEC. NO:- 5127

Weight :- 5.185kg/12'




SEC No. 7084

Weight-9.450kg/12'




SEC No. 7085

Weight-0.580kg/12'




SEC NO. :-7080

Weight-15.100kg/12'



SEC NO. :-7081


Weight-1.900kg/12'



Railing


SEC No. 7082

Weight-4.150kg/12'




SEC No. 7083

Weight-15.050kg/12'




SEC No. 7145

Weight-2.100kg/12'





SEC No. 7383

Weight-19.800kg/12'





**KOLKATA
INTERIORS
PORT**



THANK YOU !

www.kolkatainteriorsport.in

